**POWERultra** 

Power Ultra<sup>®</sup> is a new-generation economical solution for wrapping round and square bales.

Power Ultra agri-stretch film has been developed to provide exceptional performance when wrapping bales. The rolls have 20% more metres, compared to a standard 750 mm film (1,800 m as opposed to the traditional 1,500 m).

The additional length allows wrapping up to 6 more bales per roll, optimising and reducing the wrapping costs for the contractor by up to 20%.

Time is also saved, because less rolls have to be changed and less machine stops.

OURABLE & RESISTANTUV RESISTANTHIGH ADHESIVE STRENGTHTO PERFORATIONUV RESISTANTCA GREATER PROTECTIONCA IMPROVED ELASTICITY

POWER UI TRA®

**20% MORE METRES PER ROLL** 

= 20% MORE BALES PER ROLL

= 20% MORE VALUE!

Due to its cost benefit, Power Ultra<sup>®</sup> is the stretch film offering the best value for money in the market.

Power Ultra<sup>®</sup> is a co-extruded film in 7 layers, which is also manufactured with special latestgeneration polyethylene co-polymers that provide excellent resistance to impacts and to tears. The formulation chosen for Power Ultra<sup>®</sup> makes it ideal for high-performance wrapping of silage fodder bales.

GENERAL DIMENSIONS	COLOURS	PACKAGING
750mm x 1800m x 22um	Green	40 individually boxed rolls per wooden pallet

# **POWERuitra**

#### CHARACTERISTICS



**Manufactured using the highest quality raw materials available in the market** Providing optimal mechanical properties for stretching, resilience and reliability.



# **Blown Extrusion Technology**

Offering an ultra-resistant film when stretched both in transverse and longitudinal direction.



# 7-layer Co-Extruded Blown Films

Much better resistance for the same thickness compared to a 5 layer film.



# **Excellent Adhesive Strength**

To keep air and water-tightness between the layers of film and achieve an optimal silage fermentation.



# RECYCLABLE

ALL WRAPPERS



# **Minimum Gas Permeability**

Special barrier formulation to reduce CO2 loss and O2 intake.



### **Improved Elasticity**

Minimizing breaks and tearing during film pre-stretch process on the bale wrappers.



# **Superior Elastic Memory**

Bales remain tightly packed for up to a year after wrapping.



### **Automatic Thickness Control**

A 22 micron 7 layer film designed to eliminate weak spots and is of uniform thickness throughout.



### **Good Opacity and Colour Density**

Offers greater protection from sunlight thus improving fermentation.

